

O M E G A

PRESTIGIOUS STYLING



FROM MODEL YEAR 2000

OPEL  LINE

Styled To Perfection.



Rear lip-type spoiler i 40 01 431,
twin pipe sports exhaust i 40 08 038/044,
light alloy wheels in Softstar design.



Fuel flap cover i 95 17 592.



Radiator grille with
chrome-effect frame i 40 01 053,
front lower spoiler i 40 01 030,
light alloy wheels in Spectra Sports Line design.



Radiator grille with paintable frame i 40 01 055.



Radiator grille with black frame i 40 01 054.



An OPEL i LINE complete suspension package will help to improve road holding and driving pleasure.



Interior door sill covers in stainless steel, brushed finish i 40 17 070.

OPEL  LINE

Perfect Styling, Fascinating Technology.



Front airdam with integrated fog lamps i 40 01 031, radiator grille with chrome-effect frame i 40 01 050, side sills i 40 01 390, light alloy wheels in Sport Star design.



Rear skirt i 40 01 455, dual branched rear silencer i 40 08 041, rear spoiler wing-type i 40 01 409, side sills i 40 01 390, light alloy wheels in Softstar design.





Front airdam with integrated fog lamps i 40 01 031, radiator grille with chrome-effect frame i 40 01 053, side sills i 40 01 390, light alloy wheels in Twin Spoke design.



Light alloy wheels in Sport Star design.



Rear skirt i 40 01 456, dual branched rear silencer i 40 08 042, rear roof spoiler i 40 01 405, side sills i 40 01 390, light alloy wheels in Twin Spoke design.



Rear view - Estate



*Twin pipe sports exhaust i 40 01 040/043,
rear skirt i 40 01 454,
rear roof spoiler i 40 01 405.*

Rear view - Saloon



*Twin pipe sports exhaust i 40 01 038/044,
rear skirt i 40 01 453,
rear spoiler (wing-type) i 40 01 409.*

Interior Design for that Finishing Touch.



Steering wheel in aluminium-effect i 71 18 091, gear knob in aluminium-effect i 95 17 495.



Steering wheel in wood-effect i 71 18 090, gear knob in wood-effect i 95 17 493.



Gear knobs with OPEL i LINE Logo as an additional stylish eye catcher: in aluminium-effect i 95 17 495, titanium-effect i 95 17 315, carbon light-effect i 95 17 616 or wood-effect i 95 17 493 with aluminium insert ring.



That motorsport feeling: aluminium foot-pedals i 95 17 642.

Styling In Alloy.



Light alloy wheel in Soft Star design in the dimensions 7 x 15 up to 7 1/2 x 17.



Light alloy wheel in Sport Star design in the dimensions 8 x 18 and 9 x 18.



Light alloy wheel in Twin Spoke design in the dimensions 7 x 15 up to 7 1/2 x 17.



Light alloy wheel in Spectra Line design in the dimension 7 x 16.

Light alloy wheel in Spectra Sports Line design in the dimension 7 1/2 x 17.



Cover for wheel hub silver with OPEL i LINE logo i 61 10 412, black with Opel logo i 61 10 035, silver with irmscher LINE logo i 61 10 465, black with irmscher LINE logo i 61 10 411.



Central cover for wheel hub i 61 10 217 for Spectra Sports Line light alloy wheel.

ACCESSORIES FOR YOUR OMEGA

Interior fittings		
Description	Comments	Order No.
Wood-effect		
Steering wheel	In wood-effect/leather (matt). For steering wheel with integrated radio controls. Airbag colour black.	i 71 18 090 ¹⁾
Steering wheel	In wood-effect/leather (polished). For steering wheel with integrated radio controls. Airbag colour black.	i 71 18 092 ¹⁾
Steering wheel	In wood-effect/leather (matt). For steering wheel with integrated radio controls. Airbag colour beige.	i 71 18 094 ¹⁾
Steering wheel	In wood-effect/leather (polished). For steering wheel with integrated radio controls. Airbag colour beige.	i 71 18 093 ¹⁾
Gear knob	3-parts. In wood-effect (matt) with aluminium insert ring. For vehicles with manual transmission.	i 95 17 493
Gear knob	3-parts. In wood-effect (polished) with aluminium insert ring. For vehicles with manual transmission.	i 95 17 269
Carbon Light-effect		
Gear knob	3-parts. In carbon light-effect with aluminium insert ring. For vehicles with manual transmission.	i 95 17 616
Aluminium-effect		
Steering wheel	In aluminium-effect/leather. For steering wheel with integrated radio controls. Airbag colour black.	i 71 18 091 ¹⁾
Gear knob	3-parts. In aluminium-effect with aluminium insert ring. For vehicles with manual transmission.	i 95 17 495
Titanium-effect		
Gear knob	3-parts. In titanium-effect with aluminium insert ring. For vehicles with manual transmission.	i 95 17 315
Other		
Aluminium pedals	Set, 3-parts. With Irmischer Logo. Surface: anodized, matt. For vehicles with manual transmission.	i 95 17 642**
Interior door sill covers	Set, 4-parts. V2A brushed finish.	i 40 17 070

Light alloy wheels			
Description	Comments	Order No. wheel set*	Order No. single wheel
Softstar design	Silver. 7 x 15 ET 33. 5-stud.	i 99 10 007 ⁴⁾	i 61 10 419 ²⁾
Softstar design	Silver. 7 x 16 ET 39. 5-stud.	i 99 10 061	i 61 10 421 ²⁾
Softstar design	Silver. 7 1/2 x 17 ET 33. 5-stud.	i 99 10 010	i 61 10 417 ²⁾
Twin Spoke design	Silver. 7 x 15 ET 33. 5-stud.	i 99 10 018	i 61 10 428 ²⁾
Twin Spoke design	Silver. 7 x 16 ET 39. 5-stud.	i 99 10 020	i 61 10 430 ²⁾
Twin Spoke design	Silver. 7 1/2 x 17 ET 33. 5-stud.	i 99 10 021	i 61 10 431 ²⁾
Spectra Line design	Silver. 7 x 16 ET 39. 5-stud.	i 99 10 053	i 61 10 458 ²⁾
Spectra Sports Line design	Silver. 7 1/2 x 17 ET 39. 5-stud.	i 99 10 074	i 61 10 463 ²⁾
Sport Star design	Silver. 8 x 18 ET 30. 5-stud.	i 99 10 093	i 61 10 490 ²⁾
Sport Star design ³⁾	Silver. 8 x 18 ET 30. 5-stud (front axle). Silver. 9 x 18 ET 30. 5-stud (rear axle).	i 99 10 095	i 61 10 490 ²⁾ i 61 10 491 ²⁾
Accessories			Order No.
Locking wheel bolts (4 pieces)	Bolts.		i 61 10 160
Covering caps (4 pieces)	Black. For locking wheel bolt i 61 10 160.		i 61 10 161
Covering caps (4 pieces)	Silver. For locking wheel bolt i 61 10 160.		i 61 10 162
Cover for wheel hub	Silver. With OPEL i LINE logo.		i 61 10 412
Cover for wheel hub	Black. With Opel Logo.		i 61 10 035
Cover for wheel hub	Silver. With Irmischer logo.		i 61 10 465**
Cover for wheel hub	Black. With Irmischer logo.		i 61 10 411**
Hub valve cap (4 pieces)	Aluminium, with OPEL i LINE logo.		i 95 17 622
Central cover for wheel hub (4 pieces)	For light alloy wheel in Spectra Sports Line design.		i 61 10 217

* Wheel set consisting of 4 light alloy wheels incl. OPEL i LINE cover for wheel hubs.

** Irmischer LINE

¹⁾ Only in connection with standard airbag. Airbag is not included in the delivery package.

²⁾ Please order cover for wheel hub i 61 10 411/412/035/465 separately.

³⁾ Mixed wheel set, consisting of 2 x Sport Star 8 x 18 ET 30 and 2 x Sport Star 9 x 18 ET 30.

⁴⁾ Not for Omega B Estate from My. 98.



Safety bolts (4 pieces)
for light alloy wheels i 61 10 160.



Cover caps (4 pieces) for safety bolts,
black i 61 10 161, silver i 61 10 162.



OPEL i LINE hub valve cap i 95 17 622.

ACCESSORIES FOR YOUR OMEGA

Body parts			
Description	Comments	Saloon	Estate
		Order No.	Order No.
Front lower spoiler	Fits on OE bumper.	i 40 01 030	i 40 01 030
Front airdam	With integrated fog lights.	i 40 01 031	i 40 01 031
Radiator grille with frame	With Opel and OPEL i LINE logos (paintable).	i 40 01 055	i 40 01 055
Radiator grille with frame	With Irmscher logo (paintable).	i 40 01 052**	i 40 01 052**
Radiator grille with frame	With Opel and OPEL i LINE logos (chromated).	i 40 01 053	i 40 01 053
Radiator grille with frame	With Irmscher logo (chromated).	i 40 01 050**	i 40 01 050**
Radiator grille with frame	With Opel and OPEL i LINE logos (black).	i 40 01 054	i 40 01 054
Radiator grille with frame	With Irmscher logo (black).	i 40 01 051**	i 40 01 051**
Side sills (set)		i 40 01 390	i 40 01 390
Fuel flap cover	Self adhesive.	i 95 17 592**	i 95 17 592**
Rear skirt	For rear silencer left.	i 40 01 453 ⁶⁾	i 40 01 454 ⁶⁾
Rear skirt	For dual branched rear silencer left/right.	i 40 01 455 ⁶⁾	i 40 01 456 ⁶⁾
Rear spoiler (wing type)	For Saloon.	i 40 01 409	
Rear lip spoiler	For Saloon.	i 40 01 431	
Rear roof spoiler	For Estate.		i 40 01 405

Rear silencer			
Description	Comments	Saloon	Estate
		Order No.	Order No.
Rear silencer	Split oval design twin tail pipe, chromated. (Left hand exit). With EU-certificate. For engines Y22XE, Z22XE, X25XE, Y26SE, X30XE, Y32SE.	i 40 08 038 ⁶⁾	i 40 08 040 ⁶⁾
Rear silencer	Split oval design twin tail pipe, chromated. (Left hand exit). With EU-certificate. For engines X20DTH, Y22DTH, X25DT und Y25DT (diesel).	i 40 08 044 ⁶⁾	i 40 08 043 ⁶⁾
Dual branched rear silencer	Left/right, split oval design, chromated. For engines Y22XE, Z22XE, X25XE, Y26SE, X30XE, Y32SE. Only in connection with rear skirt i 40 01 455/456.	i 40 08 041 ⁶⁾	i 40 08 042 ⁶⁾

Suspension			
Description	Comments	Saloon	Estate
		Order No.	Order No.
Complete suspension	For vehicles fitted with xenon headlamps. 4-cylinders. Up to 20 mm lower.*	i 40 03 027 ¹⁾⁵⁾	i 40 03 028 ²⁾⁵⁾
Complete suspension	For vehicles fitted with xenon headlamps. 6-cylinders and diesel. Up to 20 mm lower.*	i 40 03 022 ³⁾⁵⁾	i 40 03 023 ⁴⁾⁵⁾
Shock absorber kit	For vehicles fitted with xenon headlamps.	i 40 03 029	i 40 03 030
Spring kit	For vehicles fitted with xenon headlamps. 4-cylinders. Up to 20 mm lower.*	i 40 03 025 ¹⁾	i 40 03 026 ²⁾
Spring kit	For vehicles fitted with xenon headlamps. 6-cylinders and diesel. Up to 20 mm lower.*	i 40 03 020 ³⁾	i 40 03 021 ⁴⁾

* Depending on fittings and equipment of the vehicle. OPEL i LINE suspension parts are only authorized in connection with towing equipment if the latter one possesses a sufficient towball height. (minimum towball height 350 mm in the middle of the ball of the vehicle loaded with its authorized total weight.)

** Irmscher LINE

- 1) For vehicles with authorized GAWR front of 990 kg, rear of up to 1155 kg.
- 2) For vehicles with authorized GAWR Front of 990 kg, rear of up to 1290 kg respectively 1325 kg with self levelling suspension.
- 3) For vehicles with authorized GAWR front of 1080 kg, rear of up to 1155 kg.
- 4) For vehicles with authorized GAWR Front of 1080 kg, rear of up to 1290 kg respectively 1325 kg with self levelling suspension.
- 5) For vehicles with self levelling suspension, this must be canceled.
- 6) Fitting in connection with towing equipment is not tested.

Contents reflect status at printing (11/02). Print colours are only approximate illustrations of the real colours. We reserve the right to alter technical design features and equipment. You can get information on further technical details, possible tyre equipment, approvals on the certificate of homologation and other limitations at your Opel partner. For prices please see our current price list.

Irmscher International GmbH · Günther-Irmscher-Straße 20–22 · 73630 Remshalden-Grunbach · Deutschland · Tel. 071 51 / 9 71-300 · E-Mail: info@irmscher.de
 Irmscher Belgium B.V.B.A. · Prins Boudewijnlaan 30 · 2550 Kontich · Belgie · Tel. 03/450.63.85 · E-Mail: info@irmscher.be
 Irmscher C&S spol. s.r.o. · Černokostelecká 122 · 100 00 Praha 10 · Czech Republic · Tel. 02/71 00 94 41
 Irmscher France SARL · 1, Avenue du Marais · 95100 Argenteuil · France · Tél. 03.87.28.03.03
 Irmscher Iberia S.A. · Poligono Industrial El Pradillo, parcela 3 · 50.690 Pedrola (Zaragoza) · España · Tel. 976.61.60.31 · E-Mail: ventas@irmscher.es
 Irmscher Italia S.r.l. · Via Parini, 8 · 35030 Caselle di Selvazzano (Padova) · Italia · Tel. 049/63 15 46 · E-Mail: info@irmscher.it
 Irmscher Nederland bv · Sterrenbergweg 27 · 3769 BS Soesterberg · Nederland · Tel. 03 46 / 35 47 37 · E-Mail: info@irmscher.nl
 Irmscher (Suisse) SA · Strelzenstraße 4 · 8152 Glattbrugg · Schweiz/Suisse · Tel. 0 44 / 8 28 20 34
 Irmscher (U.K.) Ltd. · Europa Way · Britannia Enterprise Park · Lichfield · Staffs · WS14 9TZ · Great Britain · Tel. 0 15 43 / 41 09 90 · E-Mail: info@irmscher.co.uk
 Salis und Braunstein · Wienerstraße 35 · 8024 Graz · Österreich · Tel. 03 16 / 7 88-0

